



Entrance Plan




Hoisting Hook Plan

5-#100 PVC PIPE SLEEVE HOLES




Parking Plan


* () : FOR CAR WITH LENGTH 5,275MM




- * FIREFIGHTING SYSTEM AND PLAIN CONCRETE ARE NOT CONSIDERED
- * FOR ONLY SEDAN




Section View






Entrance Plan




Hoisting Hook Plan

5-#100 PVC PIPE SLEEVE HOLES




* () : FOR CAR WITH LENGTH 5,275MM


Parking Plan





- * FIREFIGHTING SYSTEM AND PLAIN CONCRETE ARE NOT CONSIDERED
- * (S): SEDAN, (R): SUV




Section View







* (): FOR CAR WITH LENGTH 5,275MM




* FIREFIGHTING SYSTEM AND PLAIN CONCRETE ARE NOT CONSIDERED
* FOR ONLY SEDAN






Entrance Plan




Hoisting Hook Plan




Parking Plan


* (): FOR CAR WITH LENGTH 5,275MM




* FIREFIGHTING SYSTEM AND PLAIN CONCRETE ARE NOT CONSIDERED
* (S): SEDAN, (R): SUV




Section View







Entrance Plan




Hoisting Hook Plan




Parking Plan




- * FIREFIGHTING SYSTEM AND PLAIN CONCRETE ARE NOT CONSIDERED
- * FOR ONLY SEDAN




Section View







Entrance Plan




Hoisting Hook Plan




Parking Plan




* FIREFIGHTING SYSTEM AND PLAIN CONCRETE ARE NOT CONSIDERED
 * (S): SEDAN, (R): SUV




Section View







Entrance Plan



Hoisting Hook Plan




Parking Plan



Section View

- * FIREFIGHTING SYSTEM AND PLAIN CONCRETE ARE NOT CONSIDERED
- * FOR ONLY SEDAN



Section View


- * FIREFIGHTING SYSTEM AND PLAIN CONCRETE ARE NOT CONSIDERED
- * (S): SEDAN, (R): SUV



Architectural floor plan of a parking garage. The plan shows a central lift area (LIFT AREA 6200) with a 4-level car lift system. The lift system is surrounded by a 4x4 grid of car stalls. The plan includes dimensions for the building footprint (3800' x 9800'), column spacing (3100'), and stall dimensions (6200' x 1200'). A central lift area is labeled 'LIFT AREA 6200'. The plan also shows a 'PLAIN CONCRETE 100' slab and a 'PIT 1200'.

Section View

* FIREFIGHTING SYSTEM AND PLAIN CONCRETE ARE NOT CONSIDERED
* FOR ONLY SEDAN



Section View

* FIREFIGHTING SYSTEM AND PLAIN CONCRETE ARE NOT CONSIDERED
* (S): SEDAN, (R): SUV